

## Araştırma makalesi

## Research article

Evaluation of Nursing Students' Perspective on  
Aesthetic Surgeryİlknur TURA<sup>1</sup>, Sevilay ERDEN<sup>2</sup>, Açelya TÜRKMEN<sup>3</sup>, Umur Ece ARSLAN<sup>4</sup>

## ABSTRACT

**Aim:** This study evaluated nursing students' personal, social, and intellectual perspectives on aesthetic (cosmetic) surgery.

**Material and Methods:** This descriptive study was conducted with 1<sup>st</sup> and 4<sup>th</sup>-year students studying at the nursing of a state university. A total of 435 students who met the research criteria were included in the study. The data of the study were collected using the Student Introductory Information Form and the Acceptance of Cosmetic Surgery Scale (ACCS). Descriptive statistical analyses were used in the study, and ethical committee and institutional permissions were obtained.

**Results:** The average age of the students participating in the study was 21.66±3.46. The ACCS personal sub-dimension mean score (23.48±7.01) was found to be higher than the social (12.52±7.55) and intellectual (17.56±8.53) sub-dimension mean scores. In addition, it was determined that the attitude towards plastic surgery was more positive (median=54.00) among 4<sup>th</sup>-year students.

**Conclusion:** This study determined that students accepted aesthetic surgery at a moderate level, male students had higher social motivation related to aesthetic surgery, students were affected by the media news in accepting aesthetic surgery, and those 4<sup>th</sup>-year students had a more positive attitude towards aesthetic surgery. In summary, it can be said that the fact that the students in our sample are both young and health workers affect their attitudes towards plastic surgery positively.

**Keywords:** Aesthetic/Cosmetic surgery, nursing, student

## ÖZ

## Hemşirelik Öğrencilerinin Estetik Cerrahiye Bakış Açılarının Değerlendirilmesi

**Amaç:** Bu çalışma, hemşirelik öğrencilerinin estetik (kozmetik) cerrahiye karşı kişisel, sosyal ve düşünce yönünden bakış açılarını değerlendirmek amacıyla yapılmıştır.

**Gereç ve Yöntem:** Tanımlayıcı tipteki bu çalışmada, bir üniversitenin hemşirelik fakültesinde öğrenim gören 1. ve 4. sınıf öğrencileri ile yapılmıştır. Araştırma kriterlerine uyan 435 öğrenci çalışmaya dâhil edilmiştir. Çalışma verileri, Öğrenci Tanıtıcı Bilgi Formu ve Estetik Cerrahi Kabul Ölçeği (ECKÖ) kullanılarak toplanmıştır. Araştırmada tanımlayıcı istatistiksel analizler kullanılmış olup etik kurul ve kurum izinleri alınmıştır.

**Bulgular:** Çalışmaya katılan öğrencilerin yaş ortalaması 21.66±3.46 olarak bulundu. ECKÖ kişisel alt boyut puan ortalamasının (23.48±7.01) sosyal (12.52±7.55) ve düşünce (17.56±8.53) alt boyut puan ortalamalarından daha yüksek olduğu bulunmuştur. Ayrıca estetik cerrahiye karşı tutumun son sınıf öğrencilerinde daha olumlu (ortanca=54.00) olduğu belirlenmiştir.

**Sonuç:** Bu çalışmada, öğrencilerin estetik cerrahiye orta düzeyde kabul ettiği, erkek öğrencilerin estetik cerrahi ile ilişkili sosyal motivasyonlarının daha yüksek olduğu, öğrencilerin estetik cerrahiye kabul etmede medya haberlerinden etkilendiği belirlenmiştir. Özetle, örneklemimizdeki öğrencilerin hem genç yaş grubunda hem de sağlık çalışanı olmasının estetik cerrahiye yönelik tutumlarını olumlu etkilediği söylenebilir.

**Anahtar kelimeler:** Estetik/Kozmetik cerrahi, hemşirelik, öğrenci

<sup>1</sup>Res. Assist., Cukurova University, Faculty of Health Sciences, Department of Surgical Diseases Nursing, Adana, Turkey, E-mail: ilknurtura@gmail.com, Tel: +90 322 338 6484 /1132, ORCID: 0000-0002-1371-9458

<sup>2</sup>Assoc. Prof., Cukurova University, Faculty of Health Sciences, Department of Surgical Diseases Nursing, Adana, Turkey, E-mail: sevilaygil@gmail.com, Tel:+90 5393231872, ORCID: 0000-0002-6519-864X

<sup>3</sup>Res. Assist. Dr., Cukurova University, Faculty of Health Sciences, Department of Surgical Diseases Nursing, Adana, Turkey, E-mail: acelyaturkmen2@gmail.com, Tel: 90 322 338 6484 /1132, ORCID: 0000-0001-9178-1778

<sup>4</sup>Assoc. Prof., Hacettepe University, Public Health Institute, Public Health Department, Ankara, Turkey. E-mail: umutars@hacettepe.edu.tr, Tel: +90 03123053141, ORCID: 0000-0002-0884-8079

Received: 09 October 2021, Accepted: 15 October 2022

**Atıf/Citation:** Tura İ, Erden S, Türkmen A, Arslan UE. Evaluation of Nursing Students' Perspective on Aesthetic Surgery. Journal Hacettepe University Faculty of Nursing 2022;9(3):300-307. DOI: 10.31125 /hunhemsire.1229971

## INTRODUCTION

Aesthetic (Cosmetic) surgery is an elective surgical intervention that is not medically necessary but primarily performed to improve physical appearance<sup>1,2</sup>. In the literature, the terms aesthetic, plastic, and reconstructive surgery are used interchangeably. But "plastic surgery" is not synonymous with "aesthetic/cosmetic surgery" and "reconstructive surgery". The term "cosmetic" refers to what is also called aesthetic surgery; it focuses on the appearance of the patient. The American Board of Cosmetic Surgery defines cosmetic surgery as "entirely focused on enhancing a patient's appearance. Improving symmetry, proportion and aesthetic appeal are the primary goals"<sup>3</sup>. Reconstructive surgery is the opposite of cosmetic surgery. It entirely focuses on restructuring the body's form after trauma or defect. It may also include bodybuilding procedures to restore or improve the body's function or overall health<sup>3,4</sup>.

Aesthetic surgery is widely used in many countries around the world. It is stated that more than 1.4 million aesthetic surgeries and more than 2.8 million non-surgical aesthetic procedures are performed in the USA<sup>4</sup>. According to the International Association of Aesthetic Plastic Surgery report, approximately 12 million people worldwide have undergone aesthetic surgery; about 4 millions of these surgeries have been performed on the face, 3.5 million on the breast area, and the rest on the body and extremities. It is reported that Turkey is the 6th country where the most aesthetic surgeries are performed, with approximately 360 thousand people undergoing aesthetic surgery. It has been determined that rhinoplasty is performed the most among these surgeries<sup>3,4</sup>.

Individual factors such as age, gender, cultural differences, desire to look beautiful and to be liked to affect the attitude towards aesthetic surgery<sup>5-9</sup>. Moreover, social factors such as social acceptance of aesthetic surgery procedures and media news about changing the physical appearance also affect attitudes towards aesthetic surgery<sup>2,10</sup>. When the literature is examined, it is seen that the focus is on demographic, psychosocial, and individual differences associated with considering aesthetic surgery. Studies have shown that women are more interested in aesthetic surgery than men<sup>6,10,11</sup>; it is seen that individuals between the ages of 20-30 mostly want to have aesthetic surgery<sup>12</sup>, people with high BMI think of having aesthetic surgery more often<sup>6,13</sup>, and it is seen that the physical appearance of individuals affects the attitude towards aesthetic surgery<sup>10,14</sup>. It is essential to evaluate the reasons for application from a psychosocial point of view before any surgical intervention for individuals who will undergo aesthetic surgery. This assessment allows the healthcare professional to tailor treatment and care practices to the patient. In this process, the nurses' point of view, which plays a key role in the patient's compliance towards aesthetic surgery, is essential. The fact that aesthetic surgery is an increasingly popular field requires a good understanding of this field before nursing students graduate. However, students who have not yet started to

gain professional awareness and do not work as nurses negatively view aesthetic surgery because they cannot see the risks and complications of surgical operations more clearly. Additionally, the fact that students' bodies in their 20s have not deteriorated yet and being economically dependent on their families can also affect their perspectives on aesthetic surgery. However, a study conducted abroad determined that 91% of students with a mean age of 20.5±3.6 want to have breast augmentation surgery at their current age and facial aesthetics at later ages<sup>14</sup>. In this context, the point of view in aesthetic surgery may also vary according to culture.

When the literature on plastic and reconstructive surgery was scanned, no studies were found to evaluate the point of view of nurses or nursing students on aesthetic surgery in Turkey. In 2005, Hendorson-King developed a scale to motivate students towards aesthetic surgery and evaluate their perspectives on it in their social relationships<sup>15</sup>. In the studies, this scale was used with undergraduate students of different professions abroad.

### Aim

There is no research other than the Turkish validity and reliability study of the scale in Turkey, conducted with university students and academics in 2017<sup>16</sup>. It is thought that the point of view towards aesthetic surgery will contribute to the literature and the nurses who will care for these patients that will undergo or have undergone surgery. Therefore, this study evaluated nursing students' perspectives on aesthetic surgery.

## MATERIAL and METHODS

### Study Design

This study was carried out as a descriptive, cross-sectional study to evaluate nursing students' personal, social, and intellectual perspectives on aesthetic surgery.

### Study Sample

This descriptive, cross-sectional study was conducted with 1st and 4th-year students at the nursing of a state university. The reason first-year students were included in the study is that their perspectives on aesthetic surgery as health professionals may not have developed yet due to the lack of clinical experience of the students. Students have cared for at least one patient with aesthetic surgery indications such as burns, wounds, and mastectomy since the first year and the second semester. Furthermore, students' self-perceptions and perspectives may have developed with the courses they took until their last year, such as mental health, psychology, communication, and coping with stress. In this respect, it is thought that there may be a difference between the students in terms of surgery, aesthetics, and body image from the perspective of health personnel.

The population of the research is the 1st and 4th-year students at the Faculty of Health Sciences of a state university in the 2019-2020 fall semester. The sample consisted of a total of 475 students, 183 in the 1st year and 292 in the 4th year, who did not work anywhere as nurses and agreed to participate in the research voluntarily. Since 18 out of 40 students graduated from health vocational high

school and 22 of them did not accept to participate in the research, they were not included in the study.

### Data Collection Tools

Data were collected using the Student Descriptive Information Form (SIIF)<sup>7,16,17</sup> and Aesthetic Surgery Acceptance Scale (ACSS).

### Data Collection

The study was conducted between March and April 2019. The data collection locations were classrooms where the students would feel comfortable and complete the data collection tools on time. Students were informed about the purpose of the study before data collection by the researcher. The written informed consent form was obtained from those who agreed to participate. They were also informed about how to complete the data collection tools. The researcher was present during the administration of the data collection tools to answer any questions. The data collection lasted for 10 minutes.

**Student Introductory Information Form (SIIF):** The SIIF consists of a total of 15 questions: age, gender, class, whether the students graduated from a health vocational high school, Body Mass Index (BMI), monthly income of their families, chronic illnesses, how they described themselves personally and physically, whether the students had partners, emphasis on appearance, valued themselves, whether they had undergone aesthetic surgery before, which factors were effective in their decision on aesthetic surgery, and whether they had previous clinical practice in the aesthetic surgery service.

**Acceptance of Cosmetic Surgery Scale (ACSS):** ACSS was developed by Henderson-King in 2005 for nursing students, and its Turkish validity and reliability were evaluated by Karaca et al. (2017). ACSS is a 7-point Likert-type scale (1=I totally disagree, 7=I totally agree) consisting of 15 items that determine individuals' attitudes towards aesthetic surgery. In this scale, which is evaluated according to its three sub-dimensions and the total scale score, the lowest score is 15, and the highest score is 105. The higher the score is, the more positive the student's perspective on aesthetic surgery is. The sub-dimensions of ACSS are personal items (1st, 2nd, 4th, 5th, and 14th), social items (9th, 11th, 12th, 13th, and 15th), and intellectual items (3rd, 6th, 7th, 8th, and 10th). Item 10 of the intellectual items should be reverse-coded. In the personal sub-dimension of the scale, some evaluations motivate aesthetic surgery, and in the social sub-dimension, some evaluations provide a positive perspective on aesthetic surgery related to the individuals' feeling better in their social relations and social environments. In the intellectual sub-dimension, individuals' opinions about aesthetic surgery are evaluated. In the study of Henderson-King and Karaca et al., the internal consistency of the scale was found to be high (Cronbach's alpha, respectively 0.91 and 0.93)<sup>15,16</sup>. Cronbach's alpha value of this study was determined as 0.90.

### Data Analysis

Data were analysed using the SPSS (IBM, IBM SPSS Statistics for Windows, Version 22.0 Armonk, NY: IBM Corp. (Released

2016) at a significance level of 0.05. Descriptive analyses were given using the median (min and max) and frequency tables for variables and ordinal variables. The Kolmogorov-Smirnov test was used to evaluate the fit for normal distribution. According to this result, non-parametric tests were used because the data were not normally distributed. Mann Whitney U was used to compare two independent groups (gender, year of study, emphasis on appearance, how would you describe yourself physically? which factors do you think are effective in aesthetic surgery?), Kruskal-Wallis was used to compare three or more independent groups (BMI). Bonferonni test, one of the post-Hoc non-parametric tests, was used to determine which groups caused the significant difference in the intellectual sub-dimension score in BMI. The Kruskal-Wallis test was performed to test the significance of pairwise differences using Bonferonni correction to adjust for multiple comparisons. In addition, Spearman Correlation analysis was used to compare age and scale total score and sub-dimension score averages. The p<0.05 level was considered significant in statistical decisions.

### Ethical Approval

Permission was obtained from the University Faculty of Health Sciences Academic Committee (dated 01/31/19 No./4), University Faculty of Medicine Non-Interventional Clinical Research Ethics Committee (dated 02/01/2019 No. 85), and students.

## RESULTS

**Table 1. Distribution of Students' Characteristics (n=435)**

Characteristics		n	%
		435	100
Gender	Female	272	62.5
	Male	163	37.5
BMI	18.5 < (thin)	38	8.7
	18.5-24.9 (normal)	327	75.2
	25-29.9 (overweight)	63	14.5
	30 and over (obese)	7	1.6
Chronic disease	Yes	24	5.5
	No	411	94.5
Year of study	1st Year	183	42.1
	4th Year	252	57.9
Do you have a partner?	Yes	164	37.7
	No	271	62.3
Emphasis on appearance	Yes	341	78.4
	No	94	21.6
Self-worth	Yes	409	94.0
	No	26	6.0
Previous aesthetic surgery experience	Yes	15	3.4
	No	420	96.6
Professional Practice Experience in Any Aesthetic, Plastic, and Reconstructive Surgery Clinic	Yes	74	17.0
	No	361	83.0
Age	Mean±SD		Min-Max
		21.66±3.46	

It was determined that the mean age of the students included in the study was 21.66±3.46, 62.5% were female, and 75.2% had a normal BMI. Moreover, it was determined

that 94.5% of the students did not have chronic diseases, 57.9% were in the 4th year, 62.3% did not have partners, 78.4% of the student's emphasis on appearance, 94% valued themselves, 3.4% had undergone aesthetic surgery before, and 17% were in the aesthetic and plastic surgery clinic in clinical practice (Table 1).

**Table 2. Distribution of Personal Thought Characteristics of Students (n=435)**

Personal Thought Characteristics			n	%
How would you describe yourself personally?	Jealous	Yes	48	11.0
		No	387	89.0
	Self-confident	Yes	156	35.9
		No	279	64.1
	At peace with himself/herself	Yes	270	62.1
		No	165	37.9
How would you describe yourself physically?	Overweight	Yes	53	12.2
		No	382	87.8
	Thin	Yes	79	18.2
		No	356	81.8
	Ugly	Yes	43	9.90
		No	392	90.1
	Beautiful/Handsome	Yes	234	53.8
		No	201	46.2
	Short	Yes	87	20.0
		No	348	80.0
	Body lines are out of proportion	Yes	52	12.0
		No	383	88.0
Which factors do you think are effective in aesthetic surgery?	Media news	Yes	259	59.5
		No	176	40.5
	Friends, environment	Yes	295	67.8
		No	140	32.2
	Personality structure	Yes	270	62.1
		No	165	37.9
	Health Problems	Yes	134	30.8
		No	301	69.2

Table 2 shows the distribution of personal thought characteristics of the students, 53.8% of the students evaluated themselves as beautiful/handsome, and 62.1% stated that they were at peace with themselves. On the other hand, 67.8% of the students see their friend circles, 62.1% their personality structures, and 59.5% media news as effective factors in aesthetic surgery.

**Table 3. Mean Scores of the Scale and its Sub-Dimensions (n=435)**

	*Mean±SD	Min-Max
Personal	23.48±7.01	5-35
Social	12.52±7.55	5-35
intellectual	17.56±8.53	5-35
ACSS Total Score	53.57±19.25	15-105

\*Mean: Mean Value, SD: Standard Deviation

When the mean scale score is examined, the highest score is the personal sub-dimension score (23.48±7.01) (Table 3). Table 4 compares some characteristics of the students and their scale median scores. In the social sub-dimension of gender; in the sub-dimension of intellectual in BMI; in grade level personal, intellectual, and total scores; statistically significant difference was found in personal, social and

intellectual scores in giving importance to appearance, in social sub-dimension in physical description and in total scores (p<0.05). It was determined that this significance resulted from the lean-obese (p=0.016) and normal-obese (p=0.023) groups. In addition, in the social sub-dimension of media news that is effective in aesthetic surgery; statistically significant difference was found in personal and social sub-dimensions and total scores of health problems (p<0.05).

Table 5 shows the correlation between age and the mean score of the scale. According to the information in the table, it was found that there was a positive and significant relationship between age (r=0.136) and intellectual (r=0.140) sub-dimension scores and the total score (r=0.140) (p<0.05). Accordingly, as age increases, the total and sub-dimension scores also increase.

## DISCUSSION

This study evaluated nursing students' personal, social, and intellectual perspectives on aesthetic surgery. The mean ACSS value of 53,57±19,25 showed that the students had a moderate attitude toward accepting aesthetic surgery. In the literature, Önalın et al. (2021)<sup>18</sup>, which examined nursing students' attitudes towards aesthetic surgery, the ACSS mean value was 45.73 ± 17.68 (15–96), and the students accepted moderate plastic surgery. Similarly, Baksi and Tuncer (2021)<sup>19</sup>, ACSS mean value was reported to be 56.11±21.80 (15-105).

Individuals' perspectives on aesthetic surgery are affected by many factors, and it is stated in studies that personal factors mostly affect the attitude towards aesthetic surgery<sup>7,8,20,21</sup>. In this study, more than half of the students evaluated themselves as beautiful/handsome and stated they were at peace with themselves. Moreover, a significant proportion of the students stated that their personality structures affected their attitudes towards aesthetic surgery (Table 2). In parallel, the fact that students' personal subscale median scores (24.00) were higher than other subscale median scores (10.00,16.00) support this finding (Table 3). The literature states that personal factors affect the attitude towards aesthetic surgery more than social factors and that most university students do not think of having it at their current age. Still, they mostly think of having breast augmentation surgery in the near future<sup>14,15,22</sup>. As it is seen, the fact that the students are young, the BMI values of the majority of them are normal, their body appearance has not deteriorated due to reasons such as birth and old age, and thus they are at peace with themselves, can be associated with the findings of thinking about aesthetic surgery in the future, not now.

Our study determined a significant relationship between the age and study year of the students and the total score of ACSS and that the older 4th-year students had more positive attitudes towards aesthetic surgery (Tables 4, 5). Similarly, Von Soest et al. (2012)<sup>11</sup> also stated that older individuals wanted more aesthetic surgery. On the other hand, it is indicated in other studies that aesthetic surgery is performed more frequently in young individuals<sup>7,10,23</sup>.

**Table 4. Comparison of Some Characteristics of Students and Scale Scores Mean (n=435)**

	Personal	Social	Intellectual	Total Score
	*Median/ Min-Max	*Median/ Min-Max	*Median Min-Max	*Median Min-Max
<b>Gender</b>				
Male	24.00/5.00-35.00	9.00/5.00-35.00	16.00/5.00-35.00	51.00/15.00-105.00
Female	24.00/5.00-35.00	12.00/5.00-35.00	15.00/5.00-35.00	52.00/16.00-102
<b>Test/p</b>	Z=-.075 P=0.940	Z=-2.854 <b>P=0.004</b>	Z=-.224 P=0.822	Z=-.937 P=0.349
<b>BMI</b>				
18.5 <(thin)	25.50/8.00-35.00	13.00/5.00-31.00	17.00/5.00-35.00 <sup>a</sup>	56.00/21.00-99.00
18.5-24.9 (normal)	24.00/5.00-35.00	10.00/8.00-35.00	16.00/5.00-35.00 <sup>b</sup>	51.00/15.00-105.00
25-29.9 (overweight)	25.00/7.00-35.00	11.00/8.00-35.00	16.00/5.00-33.00	51.00/23.00-94.00
30 and over (obese)	22.00/8.00-35.00	6.00/8.00-35.00	7.00/5.00-14.00 <sup>ab</sup>	39.00/25.00-64.00
<b>Test/p</b>	$\chi^2=3$ P=0.280	$\chi^2=3$ P=0.220	$\chi^2=3$ <b>P=0.014</b>	$\chi^2=6.074$ P=0.108
<b>Year of study</b>				
1st Year	23.00/6.00-35.00	10.00/5.00-35.00	15.00/5.00-35.00	48.00/16.00-102.00
4th Year	25.00/5.00-35.00	10.00/5.00-35.00	17.00/5.00-35.00	54.00/15.00-105.00
<b>Test/p</b>	Z=-2.226 <b>P=0.026</b>	Z=-.631 P=0.052	Z= 2.353 <b>P=0.019</b>	Z=2.196 <b>P=0.028</b>
<b>Emphasis on Appearance</b>				
Yes	25.00/6.00-35.00	11.00/5.00-35.00	17.00/5.00-35.00	54.00/16.00-105.00
No	22.50/5.00-35.00	8.00/5.00-32.00	13.50/8.00-35.00	44.00/15.00-102.00
<b>Test/p</b>	Z=-3.179 <b>P=0.001</b>	Z=-2.753 <b>P=0.006</b>	Z=-3.415 <b>P=0.001</b>	Z=-3.953 <b>P=0.000</b>
<b>How would you describe yourself physically?</b>				
<i>Beautiful/Handsome</i>				
Yes	24.50/6.00-35.00	11.50/5.00-35.00	17.00/5.00-35.00	54.00/15.00-105.00
No	24.00/5.00-35.00	9.00/5.00-32.00	15.00/5.00-35.00	49.00/16.00-102.00
<b>Test/p</b>	Z=-1.345 P=0.179	Z=-2.747 <b>P=0.006</b>	Z=-1.317 P=0.188	Z=-2.60 <b>P=0.039</b>
<b>Which factors do you think are effective in plastic surgery?</b>				
<i>Media news</i>				
Yes	25.00/5.00-35.00	11.00/5.00-31.00	17.00/5.00-35.00	52.00/15.00-97.00
No	23.00/5.00-35.00	9.50/5.00-35.00	15.00/5.00-35.00	50.00/16.00-105.00
<b>Test/p</b>	Z=-.251 P=0.802	Z=-2.206 <b>P=0.027</b>	Z=-1.538 P=0.124	Z=-0.689 P=0.491
<i>Health problems</i>				
Yes	25.00/6.00-35.00	12.00/5.00-35.00	18.00/5.00-35.00	57.00/16.00-100.00
No	23.00/5.00-35.00	9.00/5.00-35.00	15.00/5.00-35.00	49.00/15.00-105.00
<b>Test/p</b>	Z=-2.162 <b>P=0.031</b>	Z=-2.728 <b>P=0.006</b>	Z=-1.278 P=.201	Z=-2.542 <b>P=0.011</b>

Mean: Mean Value, SD: Standard Deviation,  $\chi^2$ = Kruskal-Wallis Test, Z: Mann-Whitney U Test  
a: The groups from which significance originates were determined by the Bonferonni test.  
b: The groups from which the significance originated were determined by the Bonferonni test.

**Table 5. Comparison of Age and Scale Total Score and Sub-Dimension Score Averages**

	n	Age	Personal	Social	Intellectual	Total Score
Age	435	r=1.000	r=0.136 <b>P=0.005</b>	r=0.066 P=0.171	r=0.140 <b>P=0.003</b>	r=0.140 <b>P=0.003</b>

In studies conducted in different cultures, it has been reported that there is no significant relationship between the age of the participants and the ACSS sub-dimension mean scores<sup>2,24,25</sup> and that student status does not affect the attitude towards aesthetic surgery<sup>26</sup>. Despite the different results in the literature, the findings of this study can be explained by the fact that nursing students are young, know aesthetic surgery as a necessity of the profession, and closely follow today's aesthetic trends (Botox, facelift) and plastic surgery practices (rhinoplasty, breast surgery, abdominoplasty).

Our study determined a significant relationship between gender and the social sub-dimension of ACSS and that the social motivation of men related to aesthetic surgery was higher (Table 4). Similarly, a study conducted in Brazil reported that men cared about their physical appearance as much as women considered aesthetic surgery<sup>27</sup>. It has been determined that aesthetic surgery causes negative results such as pain, depression, and low self-esteem, especially men who are not satisfied with their physical appearance consider aesthetic surgery<sup>5,21,28,29</sup>, and the comments and mockery of men about their physical appearance by their friends positively affect their attitudes towards aesthetic surgery<sup>30-33</sup>. Although there are studies in the literature that support women's positive attitude towards aesthetic surgery<sup>5,10,11,34,35</sup>, plastic surgery is also popular among men<sup>21,28,36</sup>. This result shows that men's interest in aesthetic surgery has increased. They have started to give more importance to their physical appearance, and they can adapt to social appearance standards to be accepted into social groups and improve themselves.

Acceptance of aesthetic surgery is affected by physical, psychological, and social factors<sup>37</sup>. In our study, it was determined that media news was effective in students' attitudes towards aesthetic surgery in the social sub-dimension ( $p < 0.05$ ) (Table 4). In the study of Swami et al. (2012)<sup>8</sup>, attitudes towards aesthetic surgery are associated with more internalization of media news about body appearance. The study of Holland et al. (2016)<sup>38</sup> states that spending more time on social media causes exposure to more content related to physical appearance and creates body image anxiety. When the literature is examined, similar results are obtained with these studies<sup>6,13,15,39-41</sup>. It can be thought that the media is an easily accessible and economical source of information, that physicians and hospitals make television programs and social media advertisements about aesthetic surgeries on social media, and that young university students spend more time on social media supports their trust in and positive attitudes towards aesthetic surgery.

It was determined that the ACSS sub-dimension median scores of the students who attached importance to their appearance were significantly higher (Table 4). In the study of Henderson and Henderson (2005)<sup>15</sup>, it was stated that the dissatisfaction of men and women with their physical appearance was affected by external factors (how they appear to others). Similarly, other studies have emphasized that the attitude towards aesthetic surgery relates to a dislike of physical appearance<sup>8,14</sup>. Our research result can be

explained by the fact that almost all the students participating in the research value themselves since aesthetic surgery delays biological aging.

This study determined that the students found themselves beautiful/handsome and felt better in the social environment (Table 4). In a study conducted to determine the attitude towards aesthetic surgery, it was reported that university students had more positive attitudes towards it for body image changes<sup>42</sup>. Other studies stated that there is a relationship between aesthetic surgery attitude and negative body image<sup>13,43,44</sup>. The result of this research can be explained by the fact that most students like themselves physically and have moderately positive attitudes towards aesthetic surgery.

In addition to physical appearance, health problems are an essential factor that creates a positive perspective on aesthetic surgery. In this study, students thought that health problems were effective in accepting aesthetic surgery, and it was determined that the personal, social sub-dimension and total scores of the scale were significantly higher (Table 4). Studies have reported that individuals' psychological and mental health conditions affect the attitude towards aesthetic surgery, and the elimination of physical discomfort of individuals is effective on both physical and mental well-being<sup>3,45</sup>. Javo and Sørilie's (2009)<sup>23</sup> study states that the attitude towards plastic surgery is associated with body dysmorphic disorder, emotional distress, mental disorders, and eating disorders. Von Soest et al. (2011)<sup>11</sup> reported that eating problems, alcohol use, and suicide attempts also affected attitudes towards aesthetic surgery. Our research result, which parallels the literature, can be explained by the fact that the nursing students in the study know about health problems due to their professional status and the physiological, psychological, and social effects of these problems on people.

## CONCLUSION

Consequently, this study determined that the total score of ACSS was moderate and, accordingly, the students accepted aesthetic surgery at a moderate level, the social motivation of male students related to aesthetic surgery was higher, the students exhibited more positive attitudes towards aesthetic surgery as age increases, the students who emphasis on appearance had more positive attitudes of aesthetic surgery, and most of the students thought that health problems affected the attitude of aesthetic surgery. It was concluded that students are frequently influenced by media news and their friends about aesthetic surgery. For this reason, students should be raised awareness and educated about obtaining information about aesthetic surgery from suitable media sources.

**Ethics Committee Approval:** Cukurova University Faculty of Medicine Non-Interventional Clinical Research Ethics Committee 02/01/2019 No. 85

**Conflict of Interest:** None.

**Funding:** None.

**Exhibitor Consent:** Verbal consent was obtained from the students included in the study.

**Author contributions**

Study design: SE, İT  
Data collection: İT  
Literature search: İT, AT, SE  
Data analys: İT, UEA  
Drafting manuscript: İT, AT, SE

**Acknowledgement:** \* This work has not been presented anywhere.

## REFERENCES

- Nahai F. Minimizing risk in aesthetic surgery. *Clinical Risk*. 2009;15:232–6.
- Stefanile C, Nerini A, Matera C. The factor structure and psychometric properties of the Italian version of the Acceptance of Cosmetic Surgery Scale. *Body image*. 2014;11(4):370-9.
- The American Board of Cosmetic Surgery. *Cosmetic Surgery, Plastic Surgery—What’s the Difference?* [Internet]. 2014 [Accessed Date 10 January 2022] Accessed Adress:<https://www.americanboardcosmeticsurgery.org/patient-resources/cosmetic-surgery-vs-plastic-surgery/>
- International Society of Aesthetic Plastic Surgery Plastic (ISAPS). ISAPS global survey results [Internet]. 2019 [Accessed Date: 05 April 2021]. Accessed Adress: <https://www.isaps.org/wp-content/uploads/2019/12/ISAPS-Global-Survey-2018-Press-Release-English.pdf>
- Brown A, Furnham A, Glanville L, Swami V. Factors that affect the likelihood of undergoing cosmetic surgery. *Aesthet Surg J*. 2007;27(5):501–8. <https://doi.org/10.1016/j.asj.2007.06.004>
- Swami V. Body appreciation, media influence, and weight status predict consideration of cosmetic surgery among female undergraduates. *Body image*. 2009;6(4):315–7.
- Swami V, Chamorro-Premuzic T, Bridges S, Furnham A. Acceptance of cosmetic surgery: personality and individual difference predictors. *Body Image*. 2011;6(1):7–13.
- Swami V, Mammadova, A. Associations between consideration of cosmetic surgery, perfectionism dimensions, appearance schemas, relationship satisfaction, excessive reassurance-seeking, and love styles. *Individ Differences Res*. 2012;10(2):81-94.
- Wildgoose P, Scott A, Pusic AL, Cano S, Klassen AF. Psychological screening measures for cosmetic plastic surgery patients: a systematic review. *Aesthet Surg J*. 2013;33(1):152-9.
- Seo YA, Kim YA. Factors affecting acceptance of cosmetic surgery in adults in their 20s-30s. *Aesthet Plast Surg*. 2020; 44(5):1881–8.
- Von Soest T, Kvaem IL, Wichstrøm L. Predictors of cosmetic surgery and its effects on psychological factors and mental health: a population-based follow-up study among Norwegian females. *Psyc Med*. 2012; 42(3):617–26.
- Korea Consumer Agency. Asymmetry complaints on side effects of plastic surgery [Internet]. 2015 [Accessed Date 05 May 2021] Accessed Adress: <https://www.kca.go.kr/eng/sub.do?menukey=6007&mode=view&no=1001839943&page=11>
- Markey CN, Markey PM. Correlates of young women’s interest in obtaining cosmetic surgery. *Sex Roles*. 2009;61(3):158-66.
- Sarwer DB, Cash TF, Magee L, et al. Female college students and cosmetic surgery: An investigation of experiences, attitudes, and body image. *Plast Reconstr Surg*. 2005;115(3):931-8.
- Henderson-King D, Henderson-King E. Acceptance of cosmetic surgery: scale development and validation. *Body Image*. 2005;2(2):137–49.
- Karaca S, Karakoç A, Onan N, Kadioğlu H. (2017). Validity and reliability of the Turkish version of the acceptance of cosmetic surgery scale (ACSS). *J Psychiatric Nurs*, 8(1).
- Küçükkaya PG. The role of the nurse in the pre-op psychosocial assessment in cosmetic surgery. *J Psych Nurs*. 2011; 2(2):94-9.
- Önalın E, Şahin SY, İyigün E. Investigation of the relationship between university students social appearance anxiety and their attitudes towards aesthetic surgery. *Turkish Journal of Plastic Surg*. 2021;29(2),116.
- Baksi A and Tuncer N. Examination of nursing students'acceptance levels for aesthetic surgery and affecting factors. *International Journal of Health Services Research and Policy*. 2021;6(1),60-72.
- Carrion C, Rabin LA, Weinberger-Litman SL, Fogel J. Body Dissatisfaction as a mediator of the relationship between disordered eating and cosmetic surgery acceptance among Colombian university students. *J Evidence-Based Psychotherapies*. 2011;11(2):143.
- Menzel JE, Sperry SL, Small B, Thompson JK, Sarwer DB, Cash TF. Internalization of appearance ideals and cosmetic surgery attitudes: A test of the tripartite influence model of body image. *Sex Roles*. 2011;65(7):469-77.
- Samir J, Hamdan-Mansour AM, Isleem UN, Altarawneh S, Araggad L, Al Ibraheem G, et al. Impact of plastic surgery medical training on medical students' knowledge, attitudes, preferences, and perceived benefits: Comparative study. *J Public Health Res*. 2021;10(3).
- Javo IM, Sørli T. Psychosocial predictors of an interest in cosmetic surgery among young Norwegian women: a population-based study. *Plast Surg Nurs*. 2010;30(3):180-6.
- Maltby J, Day L. Celebrity worship and incidence of elective cosmetic surgery: Evidence of a link among young adults. *J Adolescent Health*. 2011;49:483–9.
- Campana AN, Ferreira L, Tavares MC. Associations and differences between men and women on the acceptance of cosmetic plastic surgery in Brazil. *Revista Brasileira de Cirurgia Plástica*. 2012;27:108–14.
- Seo YA, Chung HC, Kim YA. Experience and acceptance of cosmetic procedures among South Korean women in their 20s. *Aesthetic Plast Surg*. 2019;43(2):531-8.

27. Edmonds A. 'The poor have the right to be beautiful': Cosmetic surgery in neoliberal Brazil. *Journal of the Royal Anthropological Institute*. 2007;13(2):363-81.
28. Abbas OL, Karadavut U. Analysis of the factors affecting men's attitudes toward cosmetic surgery: Body image, media exposure, social network use, masculine gender role stress and religious attitudes. *Aesthet Plast Surg*. 2017;41:1454-62.
29. Leitermann M, Hoffmann K, Kasten E. What's preventing us to get more attraction: the fear of aesthetic surgery. *World J Plast Surg*. 2016;5(3):226-35.
30. Jones DC, Vigfusdottir TH, Lee Y. Body image and the appearance culture among adolescent girls and boys: An examination of friend conversations, peer criticism, appearance magazines and internalization of appearance ideals. *J Adolescent Research*. 2014;19:323-9.
31. Keaney T. Male aesthetics. *Skin Therapy Lett*. 2015;20(2):5-7.
32. Matera C, Nerini A, Stefanile C. Why are men interested in cosmetic surgery procedures? Examining the role of different forms of peer influence, social comparison, internalization, and body dissatisfaction. *Body Image*. 2018;26:74-7.
33. Thompson JK, Shroff H, Herbozo S, Cafri G, Rodriguez J, Rodriguez M. Relations among multiple peer influences, body dissatisfaction, eating disturbance, and self-esteem: A comparison of average weight, at risk of overweight, and overweight adolescent girls. *J Ped Psych*. 2007;32:24-9.
34. Dorneles de Andrade D. On norms and bodies: findings from field research on cosmetic surgery in Rio de Janeiro, Brazil. *Reproductive Health Matters*. 2010;18(35):74-83.
35. Swami V, Furnham A, Georgiades C, Pang L. Evaluating self and partner physical attractiveness. *Body Image*. 2007; 4(1):97-101.
36. Holliday R, Cairnie A. Man made plastic. Investigating men's consumption of aesthetic surgery. *J Consumer Culture*. 2007;7:57-78.
37. Farshidfar Z, Dastjerdi R, Shahabizadeh F. Acceptance of cosmetic surgery: Body image, self esteem and conformity. *Procedia-Social and Behavioral Sciences*. 2013;84:238-42.
38. Holland G, Tiggemann M. A systematic review of the impact of the use of social networking sites on body image and disordered eating outcomes. *Body image*. 2016;17:100-10.
39. de Blacam C, Kilmartin D, Mc Dermott C, Kelly J. Public perception of plastic surgery. *J Plast Reconstr Aesthet Surg*. 2015;68(2):197-204.
40. Lupon E, Girard P, Lupon A, et al. The perception of plastic surgery by community-based, private practice nurses: A French national descriptive study. *Plast Surg Nurs*. 2021;41(1):18-25.
41. Sperry S, Thompson JK, Sarwer DB, Cash TF. Cosmetic surgery reality TV viewership: Relations with cosmetic surgery attitudes, body image, and disordered eating. *Ann Plast Surg*. 2009;62(1):7-11.
42. Cash TF, Goldenberg-Bivens RB, Grasso K. Multidimensional body image predictors of college women's attitudes and intentions vis-a-vis cosmetic surgery. Poster presented at the Conference of the Association for Behavioral and Cognitive Therapies Washington, DC. 2005.
43. Crerand CE, Franklin ME, Sarwer, DB. Body dysmorphic disorder and cosmetic surgery. *Plast Reconstr Surg*. 2006;118(7):167-80.
44. Slevac J, Tiggemann M. Attitudes toward cosmetic surgery in middle-aged women: Body image, aging anxiety, and the media. *Psyc Women Quarterly*. 2010;34(1):65-74.
45. Cook SA, Rosser R, Salmon P. Is cosmetic surgery an effective psychotherapeutic intervention? A systematic review of the evidence. *J Plast Reconstr Aesthet Surg*. 2006;59(11):1133-51.